

MOTOR DE BARCĂ HONDA BF10 SHU, CIZMĂ SCURTĂ, 10 CP

Model:	BF10DK2 SHU
Caracteristici tehnice:	
Tip motor	OHC – 2 cilindri 4 valve
Putere motor kW/CP	7,4 / 10
Cilindree (cmc)	222
Diam. cilindru & cursa	58 x 42
Rpm. la turatie maxima	5000 - 6000
Sistem racire motor	Pe lichid (cu termostat)
Sistem admisie carburant	1 carburator cu pompa accelerare
Sistem electronic	“Electronic PGM-IG”
Gestionare comenzi	Comanda la eche “Tiller handle”
Tip pornire	Manual la sfoara
Incarcare baterie (A)	6 A
Sistem evacuare gaze	Dirijat pe la elice
Raport de transmisie	2,33:1
Elice (in dotare la motor)	Din aluminiu cu 4 palete
Capacitate rezervor	12,5 litri
Cizma scurta	433 mm
Avertizor presiune ulei	Standard
Avertizor temperatura mare	Standard
Greutate (la sec)	42 kg
Inclinare motor “Trim & Tilt”	Manuala in 5 trepte
Lungime totala (cu maner cu tot)	610 mm
Latime totala	345 mm
Inaltime totala (cu motor cu tot)	1105 mm

ELICE HONDA DISPONIBILE

1) TIP ELICE	RECOMANDAT PENTRU	DIMENSIUNE	COD COMANDA
Plastic cu 3 pale	BF2D / BF2.3A	7 1/4" X 4 3/4"	58130-ZV0-841ZB
Aluminiu 3 pale	BF4AH / BF5DH / BF6AH	7 1/4" x 5 1/2"	58130-ZVD-U01ZA
Aluminiu 3 pale	BF4AH / BF5DH / BF6AH	7 7/8" x 5 7/8"	58130-ZVD-701ZA
Aluminiu 3 pale	BF4AH / BF5DH / BF6AH	7 7/8" x 8 1/4"	58130-ZVD-801ZA
Aluminiu 3 pale	BF4AH / BF5DH / BF6AH	7 7/8" x 7 1/2"	58130-ZVD-003ZA
Aluminiu 3 pale	BF4AH / BF5DH / BF6AH	7 7/8" x 6 3/4"	58130-ZVD-601ZA
Aluminiu 3 pale	BF4.5 / BF5A	7 1/4" X 4 3/4"	58130-ZV1-841ZB
Aluminiu 3 pale	BF4.5 / BF5A	7 7/8" X 6 3/4"	58130-ZV1-941ZB
Aluminiu 3 pale	BF4.5 / BF5A	7 7/8" x 7 1/2"	58130-ZVD-003ZA
Aluminiu 3 pale	BF4.5 / BF5A	7 7/8" x 6 3/4"	58130-ZVD-601ZA
Aluminiu 3 pale	BF6A / BF8A 1986 ~ 2007	9 1/2" X 8 5/8"	58130-881-840ZB
Aluminiu 3 pale	BF9.9A / BF15A 1986 ~ 2002	9 1/2" X 8 5/8"	58130-ZV4-703ZB
Aluminiu 3 pale	BF9.9A / BF15A 1986 ~ 2002	9 1/2" X 9 1/2"	58130-ZV4-030ZB
Aluminiu 3 pale	BF9.9A / BF15A 1986 ~ 2002	9 1/4" X 8"	58130-ZV4-008AH
Aluminiu 3 pale	BF9.9A / BF15A 1986 ~ 2002	9 1/4" X 9"	58130-ZV4-009AH
Aluminiu 3 pale	BF9.9A / BF15A 1986 ~ 2002	9 1/4" X 10"	58130-ZV4-010AH
Aluminiu 3 pale	BF20A (Nu pt. BF20D!) / BF25D / BF30D	9 1/4" X 12"	58130-ZV7-000ZA
Aluminiu 3 pale	BF20A (Nu pt. BF20D!) / BF25D / BF30D	9 3/4" X 9 7/8"	58130-ZV7-850ZA
Aluminiu 3 pale	BF20A (Nu pt. BF20D!) / BF25D / BF30D	10" X 8 1/4"	58130-ZV7-860ZB
Aluminiu 3 pale	BF20A (Nu pt. BF20D!) / BF25D / BF30D	9 7/8" X 9"	58130-ZW2-F11ZA
Aluminiu 3 pale	BF20A (Nu pt. BF20D!) / BF25D / BF30D	9 7/8" X 10"	58130-ZW2-F21ZA
Aluminiu 3 pale	BF20A (Nu pt. BF20D!) / BF25D / BF30D	9 7/8" X 11"	58130-ZW2-F31ZA
Aluminiu 3 pale	BF20A (Nu pt. BF20D!) / BF25D / BF30D	9 7/8" X 12"	58130-ZW2-F01ZA
Aluminiu 3 pale	doar BF40A / BF50A	11 1/4" X 13"	58130-ZV5-000ZA
Aluminiu 3 pale	doar BF40A / BF50A	11 1/2" X 12"	58130-ZV5-850ZA
Aluminiu 3 pale	doar BF40A / BF50A	11 3/4" X 10"	58130-ZV5-860ZA
Aluminiu 3 pale	doar BF40A / BF50A	11 1/2" X 14 1/4"	58130-ZV5-870ZA
Aluminiu 3 pale	BF40A / BF40D / BF50A / BF50D / BF60A	12 1/4" X 7"	59130-ZV5-007AH
Aluminiu 3 pale	BF40A / BF40D / BF50A / BF50D / BF60A	12 1/4" X 8"	59130-ZV5-008AH
Aluminiu 3 pale	BF40A / BF40D / BF50A / BF50D / BF60A	12 1/8" X 9"	59130-ZV5-009AH
Aluminiu 3 pale	BF40A / BF40D / BF50A / BF50D / BF60A	11 5/8" X 11"	59130-ZV5-011AH
Aluminiu 3 pale	BF40A / BF40D / BF40E / BF50A / BF50D / BF60A	11 3/8" X 12"	59130-ZV5-012AH
Aluminiu 3 pale	BF40A / BF40D / BF40E / BF50A / BF50D / BF60A	11 1/8" X 13"	59130-ZV5-013AH
Aluminiu 3 pale	BF40A / BF40D / BF40E / BF50A / BF50D / BF60A	11 1/8" X 14"	59130-ZV5-014AH

1) TIP ELICE	RECOMANDAT PENTRU	DIMENSIUNE	COD COMANDA
Aluminiu 3 pale	BF40A / BF40D / BF40E / BF50A / BF50D / BF60A	11" X 15"	59130-ZV5-015AH
Aluminiu 3 pale	BF40D / BF50D / BF60A	11" X 16"	59130-ZV5-016AH
Aluminiu 3 pale	BF40D / BF50D / BF60A	11" X 17"	59130-ZV5-017AH
Aluminiu 3 pale	BF40D / BF40E / BF50D	11 1/4" X 13"	58130-ZZ5-000ZA
Aluminiu 3 pale	BF40D / BF40E / BF50D	11 3/4" X 10"	58130-ZZ5-630ZA
Aluminiu 3 pale	BF40D / BF40E / BF50D	11 1/2" X 12"	58130-ZZ5-660ZA
Aluminiu 3 pale	BF40D / BF40E / BF50D	11 1/2" X 14 1/4"	58130-ZZ5-760ZA

2) TIP ELICE	RECOMANDAT PENTRU	DIMENSIUNE	COD COMANDA
Aluminiu 3 pale	BF75 / BF100 1977 ~ 1986	9 1/2" X 8 5/8"	58130-881-840ZB
Aluminiu 3 pale	BFP60A 1998 ~ 2009	13 1/5" X 19"	58130-ZZ0-D81ZB
Aluminiu 3 pale	BFP60A 1998 ~ 2009	13 1/5" X 21"	58130-ZZ0-D91ZB
Aluminiu 3 pale	BFP80A / BF100A 1998 ~ 2009	13 1/4" x 18"	58130-ZW1-018AH
Aluminiu 3 pale	BFP60A / BF75A / BF75D / BF80A / BF90 / BF90D / BF100A / BF115A / BF130A 1998 ~ 2009	14" X 11"	58130-ZW1-011AH
Aluminiu 3 pale	BFP60A / BF75A / BF75D / BF80A / BF90 / BF90D / BF100A / BF115A / BF130A 1998 ~ 2009	13 3/4" X 13"	58130-ZW1-013AH
Aluminiu 3 pale	BFP60A / BF75A / BF75D / BF80A / BF90 / BF90D / BF100A / BF115A / BF130A 1998 ~ 2009	13 1/2" X 15"	58130-ZW1-015AH
Aluminiu 3 pale	BFP60A / BF75A / BF75D / BF80A / BF90 / BF90D / BF100A / BF115A / BF130A 1998 ~ 2009	13 1/4" X 17"	58130-ZW1-017AH
Aluminiu 3 pale	BFP60A / BF75A / BF75D / BF80A / BF90 / BF90D / BF100A / BF115A / BF130A 1998 ~ 2009	13" X 19"	58130-ZW1-019AH
Aluminiu 3 pale	BFP60A / BF75A / BF75D / BF80A / BF90 / BF90D / BF100A / BF115A / BF130A 1998 ~ 2009	13" X 21"	58130-ZW1-021AH
Aluminiu 3 pale (contrarotanta)	BF115A / BF130A 1998 ~ 2009	13 3/4" X 13" CR	58130-ZW1-013B
Aluminiu 3 pale (contrarotanta)	BF115A / BF130A 1998 ~ 2009	13 1/2" X 15" CR	58130-ZW1-015B

2) TIP ELICE	RECOMANDAT PENTRU	DIMENSIUNE	COD COMANDA
Aluminiu 3 pale <i>(contrarotanta)</i>	BF115A / BF130A 1998 ~ 2009	13 1/4" X 17" CR	58130-ZW1-017B
Aluminiu 3 pale	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	15 1/2" x 13"	58130-ZY3-013A
Aluminiu 3 pale	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	15 1/4" x 15"	58130-ZY3-015AH
Aluminiu 3 pale <i>(contrarotanta)</i>	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	15 1/4" x 15"	58130-ZY3-015BH
Aluminiu 3 pale	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	15" x 17"	58130-ZY3-017AH
Aluminiu 3 pale <i>(contrarotanta)</i>	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	15" x 17"	58130-ZY3-017BH
Aluminiu 3 pale	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 3/4" x 19"	58130-ZY3-019AH
Aluminiu 3 pale <i>(contrarotanta)</i>	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 3/4" x 19"	58130-ZY3-019BH
Aluminiu 3 pale	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 1/2" x 21"	58130-ZY3-021AH
Aluminiu 3 pale <i>(contrarotanta)</i>	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 1/2" x 21"	58130-ZY3-021BH
Aluminiu 3 pale	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 1/4" x 23"	58130-ZY3-023AH
Aluminiu 3 pale	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	15 3/4" x 15"	58130-ZY3-015AP
Aluminiu 3 pale	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	15 1/2" x 17"	58130-ZY3-017AP
Aluminiu 3 pale <i>(contrarotanta)</i>	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	15 1/2" x 17"	58130-ZY3-017BP

3) TIP ELICE	RECOMANDAT PENTRU	DIMENSIUNE	COD COMANDA
Aluminiu 4 pale <i>(standard)</i>	BF8D / BF10D / BF15D / BF20D	10" X 6 1/4"	58130-ZW9-B23ZA
Aluminiu 4 pale <i>(standard)</i>	BF8D / BF10D / BF15D / BF20D	9 1/4" X 7"	58134-ZV4-007AH
Aluminiu 4 pale <i>(standard)</i>	BF8D / BF10D / BF15D / BF20D	9 1/4" X 8"	58134-ZV4-008AH
Aluminiu 4 pale <i>(standard)</i>	BF8D / BF10D / BF15D / BF20D	9 1/4" X 9"	58134-ZV4-009AH

3) TIP ELICE	RECOMANDAT PENTRU	DIMENSIUNE	COD COMANDA
Aluminiu 4 pale (standard)	BF8D / BF10D / BF15D / BF20D	9 1/4" X 10"	58134-ZV4-010AH
Aluminiu 4 pale (standard)	BF8D / BF10D / BF15D / BF20D	9 1/4" X 11"	58134-ZV4-011AH
Aluminiu 4 pale (Impingere Inalta)	BF8D / BF10D	10" X 6 1/4"	06581-ZW9-A40ZA
Aluminiu 4 pale (Impingere Inalta)	BF15D / BF20D	10" X 7 5/8"	06581-ZY0-S00ZB
Aluminiu 4 pale (standard)	BF20A (Nu pt. BF20D!) / BF25D / BF30D	10 1/4" X 11"	58134-ZV7-011AH
Aluminiu 4 pale (standard)	BF20A (Nu pt. BF20D!) / BF25D / BF30D	10 1/8" X 12"	58134-ZV7-012AH
Aluminiu 4 pale (standard)	BF20A (Nu pt. BF20D!) / BF25D / BF30D	10" X 13"	58134-ZV7-013AH
Aluminiu 4 pale (standard)	BF20A (Nu pt. BF20D!) / BF25D / BF30D	10" X 14"	58134-ZV7-014AH
Aluminiu 4 pale (standard)	BF20A (Nu pt. BF20D!) / BF25D / BF30D	10" X 14"	58134-ZV7-015AH
Aluminiu 4 pale (standard)	BF40A / BF40D / BF50A / BF50D / BF60A	11 7/8" X 9"	58134-ZV5-009AH
Aluminiu 4 pale (standard)	BF40A / BF40D / BF50A / BF50D / BF60A	11 3/8" X 10"	58134-ZV5-010AH
Aluminiu 4 pale (standard)	BF40A / BF40D / BF50A / BF50D / BF60A	11 1/8" X 11"	58134-ZV5-011AH
Aluminiu 4 pale (standard)	BF40A / BF40D / BF50A / BF50D / BF60A	10 7/8" X 12"	58134-ZV5-012AH
Aluminiu 4 pale (standard)	BF40A / BF40D / BF50A / BF50D / BF60A	10 1/2" X 13"	58134-ZV5-013AH
Aluminiu 4 pale (standard)	BF40A / BF40D / BF50A / BF50D / BF60A	10 1/2" X 14"	58134-ZV5-014AH
Aluminiu 4 pale (standard)	BFP60A / BF75A / BF75D / BF90A / BF90D / BF100A / BF115A / BF130A	13 1/4" X 13"	58134-ZW1-013AH
Aluminiu 4 pale (standard)	BFP60A / BF75A / BF75D / BF90A / BF90D / BF100A / BF115A / BF130A	13" X 15"	58134-ZW1-015AH
Aluminiu 4 pale (standard)	BFP60A / BF75A / BF75D / BF90A / BF90D / BF100A / BF115A / BF130A	12 3/4" X 17"	58134-ZW1-017AH
Aluminiu 4 pale (standard)	BFP60A / BF75A / BF75D / BF90A / BF90D / BF100A / BF115A / BF130A	12 1/2" X 19"	58134-ZW1-019AH
Aluminiu 4 pale (standard)	BFP60A / BF75A / BF75D / BF90A / BF90D / BF100A / BF115A / BF130A	12 1/2" X 21"	58134-ZV5-021AH

3) TIP ELICE	RECOMANDAT PENTRU	DIMENSIUNE	COD COMANDA
Aluminiu 4 pale (standard)	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 3/4" X 15"	58134-ZY3-015A
Alum 4 pale (contrarotanta)	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 3/4" X 15"	58134-ZY3-015B
Aluminiu 4 pale (standard)	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 1/2" X 17"	58134-ZY3-017A
Alum 4 pale (contrarotanta)	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 1/2" X 17"	58134-ZY3-017B
Aluminiu 4 pale (standard)	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 1/4" X 19"	58134-ZY3-019A
Alum 4 pale (contrarotanta)	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 1/4" X 19"	58134-ZY3-019B
Aluminiu 4 pale (standard)	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14" X 21"	58134-ZY3-021A
Alum 4 pale (contrarotanta)	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14" X 21"	58134-ZY3-021B

4) TIP ELICE	Observatii de performanta	RECOMANDAT PENTRU	DIMENSIUNE	COD COMANDA
INOX 3 pale	/	BF20A (Nu pt. BF20D!) / BF25D / BF30D	10" x 8"	58133-ZV7-008AH
INOX 3 pale	/	BF25D / BF30D	10" x 9"	58133-ZV7-009AH
INOX 3 pale	/	BF25D / BF30D	10" x 10"	58133-ZV7-010AH
INOX 3 pale	/	BF25D / BF30D	10" x 11"	58133-ZV7-011AH
INOX 3 pale	/	BF25D / BF30D	10" x 12"	58133-ZV7-012AH
INOX 3 pale	/	BF25D / BF30D	10" x 13"	58133-ZV7-013AH
INOX 3 pale	/	BF40A / BF40D / BF50A / BF50D / BF60A	12 1/4" x 9"	59133-ZV5-009AH
INOX 3 pale	/	BF40A / BF40D / BF50A / BF50D / BF60A	11 3/4" x 11"	59133-ZV5-011AH
INOX 3 pale	/	BF40A / BF40D / BF50A / BF50D / BF60A	11 1/2" x 12"	59133-ZV5-012AH
INOX 3 pale	/	BF40A / BF40D / BF50A / BF50D / BF60A	11 1/8" x 13"	59133-ZV5-013AH
INOX 3 pale	/	BF40A / BF40D / BF50A / BF50D / BF60A	11 1/8" x 14"	59133-ZV5-014AH
INOX 3 pale	/	BF40A / BF40D / BF50A / BF50D / BF60A	11" x 15"	59133-ZV5-015AH
INOX 3 pale	/	BF40A / BF40D / BF50A / BF50D / BF60A	10 3/4" x 16"	59133-ZV5-016AH
INOX 3 pale	/	BF40A / BF40D / BF50A / BF50D / BF60A	11" x 17"	59133-ZV5-017AH

4) TIP ELICE	Observatii de performanta	RECOMANDAT PENTRU	DIMENSIUNE	COD COMANDA
INOX 3 pale	<p>Large blade area design provides:</p> <ul style="list-style-type: none"> • Great load carrying capability • Excellent fuel economy <p>Suprafele largite ale palelor ofera:</p> <ul style="list-style-type: none"> • Capacitate mare de transport a sarcinilor • Economie excelenta de combustibil 	BFP60A / BF75A / BF75D / BF80A / BF90A / BF90D / BF100A / BF115A / BF130A	13 3/4" x 13"	58133-ZW1-A13AH
INOX 3 pale (contrarotanta)		BFP60A / BF75A / BF75D / BF80A / BF90A / BF90D / BF100A / BF115A / BF130A	13 3/4" x 13"	58133-ZW1-B13AH
INOX 3 pale		BFP60A / BF75A / BF75D / BF80A / BF90A / BF90D / BF100A / BF115A / BF130A	13 3/4" x 15"	58133-ZW1-A15AH
INOX 3 pale (contrarotanta)		BFP60A / BF75A / BF75D / BF80A / BF90A / BF90D / BF100A / BF115A / BF130A	13 3/4" x 15"	58133-ZW1-B15AH
INOX 3 pale		BFP60A / BF75A / BF75D / BF80A / BF90A / BF90D / BF100A / BF115A / BF130A	13 1/4" x 17"	58133-ZW1-A17AH
INOX 3 pale (contrarotanta)		BFP60A / BF75A / BF75D / BF80A / BF90A / BF90D / BF100A / BF115A / BF130A	13 1/4" x 17"	58133-ZW1-B17AH
INOX 3 pale		BFP60A / BF75A / BF75D / BF80A / BF90A / BF90D / BF100A / BF115A / BF130A	13 1/4" x 19"	58133-ZW1-A19AH
INOX 3 pale (contrarotanta)		BFP60A / BF75A / BF75D / BF80A / BF90A / BF90D / BF100A / BF115A / BF130A	13 1/4" x 19"	58133-ZW1-B19AH
INOX 3 pale	<p>Provides good acceleration & top end performance on a wide variety of craft.</p> <ul style="list-style-type: none"> • Larger Blade area • Moderate Cupping <p>Ofera o acceleratie buna si performante de varf pe o mare varietate de ambarcatiuni.</p> <ul style="list-style-type: none"> • Suprafata mai mare a palei • Cavitate moderata 	BF115D / BF135A / BF150A / BF175A / BF175D / BF200A / BF200D / BF225A / BF225D	13 1/2" x 15"	58133-ZY3-A15AH
INOX 3 pale (contrarotanta)		BF115D / BF135A / BF150A / BF175A / BF175D / BF200A / BF200D / BF225A / BF225D	13 1/2" x 15"	58133-ZY3-B15AH
INOX 3 pale		BF115D / BF135A / BF150A / BF175A / BF175D / BF200A / BF200D / BF225A / BF225D	14 1/4" x 17"	58133-ZY3-A17AH
INOX 3 pale (contrarotanta)		BF115D / BF135A / BF150A / BF175A / BF175D / BF200A / BF200D / BF225A / BF225D	14 1/4" x 17"	58133-ZY3-B17AH
INOX 3 pale		BF115D / BF135A / BF150A / BF175A / BF175D / BF200A / BF200D / BF225A / BF225D	14" x 19"	58133-ZY3-A19AH
INOX 3 pale (contrarotanta)		BF115D / BF135A / BF150A / BF175A / BF175D / BF200A / BF200D / BF225A / BF225D	14" x 19"	58133-ZY3-B19AH
INOX 3 pale		BF115D / BF135A / BF150A / BF175A / BF175D / BF200A / BF200D / BF225A / BF225D	14" x 21"	58133-ZY3-A21AH

4) TIP ELICE	Observatii de performanta	RECOMANDAT PENTRU	DIMENSIUNE	COD COMANDA
INOX 3 pale (contrarotanta)		BF115D / BF135A / BF150A / BF175A / BF175D / BF200A / BF200D / BF225A / BF225D	14" x 21"	58133-ZY3- B21AH

5) TIP ELICE	Observatii de performanta	RECOMANDAT PENTRU	DIMENSIUNE	COD COMANDA
INOX 3 pale	<p>Provides better load carrying capability and higher levels of fuel efficiency for higher power Honda Outboard engines</p> <ul style="list-style-type: none"> • High camber blade geometry • Large blade area <p>Ofera o capacitate mai buna de transportare a incarcaturii si niveluri mai ridicate de consum de combustibil la motoarele de putere mai mare.</p> <ul style="list-style-type: none"> • Curbura ridicata a palei • Suprafata mare a palei 	BF115D / BF135A / BF150A / BF175A / BF175D / BF200A / BF200D / BF225A / BF225D	15 1/2" x 15"	58133-ZY3-A15S
INOX 3 pale (contrarotanta)		BF115D / BF135A / BF150A / BF175A / BF175D / BF200A / BF200D / BF225A / BF225D	15 1/2" x 15"	58133-ZY3-B15S
INOX 3 pale		BF115D / BF135A / BF150A / BF175A / BF175D / BF200A / BF200D / BF225A / BF225D	15 1/4" x 17"	58133-ZY3-A17S
INOX 3 pale (contrarotanta)		BF115D / BF135A / BF150A / BF175A / BF175D / BF200A / BF200D / BF225A / BF225D	15 1/4" x 17"	58133-ZY3-B17S
INOX 3 pale		BF115D / BF135A / BF150A / BF175A / BF175D / BF200A / BF200D / BF225A / BF225D	15" x 19"	58133-ZY3-A19S
INOX 3 pale (contrarotanta)		BF115D / BF135A / BF150A / BF175A / BF175D / BF200A / BF200D / BF225A / BF225D	15" x 19"	58133-ZY3-B19S
INOX 3 pale		BF115D / BF135A / BF150A / BF175A / BF175D / BF200A / BF200D / BF225A / BF225D	14 3/4" x 21"	58133-ZY3-A21S
INOX 3 pale (contrarotanta)		BF115D / BF135A / BF150A / BF175A / BF175D / BF200A / BF200D / BF225A / BF225D	14 3/4" x 21"	58133-ZY3-B21S
INOX 3 pale		BF115D / BF135A / BF150A / BF175A / BF175D / BF200A / BF200D / BF225A / BF225D	14 1/2" x 23"	58133-ZY3-A23S
INOX 3 pale (contrarotanta)		BF115D / BF135A / BF150A / BF175A / BF175D / BF200A / BF200D / BF225A / BF225D	14 1/2" x 23"	58133-ZY3-B23S
INOX 3 pale	/	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 3/4" x 16"	58133-ZY3- A16HR
INOX 3 pale (contrarotanta)	/	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 3/4" x 16"	58133-ZY3-B16HR
INOX 3 pale	/	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 3/4" x 17"	58133-ZY3- A17HR
INOX 3 pale (contrarotanta)	/	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 3/4" x 17"	58133-ZY3-B17HR
INOX 3 pale	/	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 3/4" x 18"	58133-ZY3- A18HR

5) TIP ELICE	Observatii de performanta	RECOMANDAT PENTRU	DIMENSIUNE	COD COMANDA
INOX 3 pale (contrarotanta)	/	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 3/4" x 18"	58133-ZY3-B18HR
INOX 3 pale	/	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 3/4" x 19"	58133-ZY3-A19HR
INOX 3 pale (contrarotanta)	/	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 3/4" x 19"	58133-ZY3-B19HR
INOX 3 pale	/	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 3/4" x 20"	58133-ZY3-A20HR
INOX 3 pale (contrarotanta)	/	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 3/4" x 20"	58133-ZY3-B20HR
INOX 3 pale	/	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 1/2" x 21"	58133-ZY3-A21HR
INOX 3 pale (contrarotanta)	/	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 1/2" x 21"	58133-ZY3-B21HR
INOX 3 pale	/	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 1/4" x 22"	58133-ZY3-A22HR
INOX 3 pale (contrarotanta)	/	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 1/4" x 22"	58133-ZY3-B22HR

6) TIP ELICE	Obs.	RECOMANDAT PENTRU	DIMENSIUNE	COD COMANDA
INOX 3 pale	/	BF175D / BF200D / BF225D / BF250A / BF250D	15 3/4	58133-ZY3-A15LX
INOX 3 pale (contrarotanta)	/	BF175D / BF200D / BF225D / BF250A / BF250D	15 3/4	58133-ZY3-B15LX
INOX 3 pale	/	BF175D / BF200D / BF225D / BF250A / BF250D	15 5/8	58133-ZY3-A16LX
INOX 3 pale (contrarotanta)	/	BF175D / BF200D / BF225D / BF250A / BF250D	15 5/8	58133-ZY3-B16LX
INOX 3 pale	/	BF175D / BF200D / BF225D / BF250A / BF250D	15 1/2	58133-ZY3-A17LX
INOX 3 pale (contrarotanta)	/	BF175D / BF200D / BF225D / BF250A / BF250D	15 1/2	58133-ZY3-B17LX
INOX 3 pale	/	BF175D / BF200D / BF225D / BF250A / BF250D	15 3/8	58133-ZY3-A18LX
INOX 3 pale (contrarotanta)	/	BF175D / BF200D / BF225D / BF250A / BF250D	15 3/8	58133-ZY3-B18LX
INOX 3 pale	/	BF175D / BF200D / BF225D / BF250A / BF250D	15 1/4	58133-ZY3-A19LX
INOX 3 pale (contrarotanta)	/	BF175D / BF200D / BF225D / BF250A / BF250D	15 1/4	58133-ZY3-B19LX
INOX 3 pale	/	BF175D / BF200D / BF225D / BF250A / BF250D	15 1/8	58133-ZY3-A20LX
INOX 3 pale (contrarotanta)	/	BF175D / BF200D / BF225D / BF250A / BF250D	15 1/8	58133-ZY3-B20LX
INOX 3 pale	/	BF175D / BF200D / BF225D / BF250A / BF250D	15	58133-ZY3-A21LX

6) TIP ELICE	Obs.	RECOMANDAT PENTRU	DIMENSIUNE	COD COMANDA
INOX 3 pale (contrarotanta)	/	BF175D / BF200D / BF225D / BF250A / BF250D	15	58133-ZY3-B21LX

7) TIP ELICE	Observatii de performanta	RECOMANDAT PENTRU	DIMENSIUNE	COD COMANDA
INOX 4 pale	<p>This 4 Blade High Rake range, offers excellent cruising performance and maneuvering capability making it ideal for offshore applications.</p> <ul style="list-style-type: none"> • Very Powerful Thrust • Smooth Operation <p>Aceasta elice cu inclinatie mare a celor 4 pale, ofera performante excelente de croaziera si capacitate de manevrare, făcându-l ideal pentru aplicatii offshore (in largul marilor).</p> <ul style="list-style-type: none"> • Capacitate puternica de impingere • Operare delicata 	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A / BF250A	14 1/2 x 15"	58134-ZY3-A15HR
INOX 4 pale (contrarotanta)		BF115D / BF135A / BF150A / BF175A / BF200A / BF225A / BF250A	14 1/2 x 15"	58134-ZY3-B15HR
INOX 4 pale		BF115D / BF135A / BF150A / BF175A / BF200A / BF225A / BF250A	14 1/4" x 17"	58134-ZY3-A17HR
INOX 4 pale (contrarotanta)		BF115D / BF135A / BF150A / BF175A / BF200A / BF225A / BF250A	14 1/4" x 17"	58134-ZY3-B17HR
INOX 4 pale		BF115D / BF135A / BF150A / BF175A / BF200A / BF225A / BF250A	14 1/8" x 18"	58134-ZY3-A18HR
INOX 4 pale (contrarotanta)		BF115D / BF135A / BF150A / BF175A / BF200A / BF225A / BF250A	14 1/8" x 18"	58134-ZY3-B18HR
INOX 4 pale		BF115D / BF135A / BF150A / BF175A / BF200A / BF225A / BF250A	14 1/8" x 19"	58134-ZY3-A19HR
INOX 4 pale (contrarotanta)		BF115D / BF135A / BF150A / BF175A / BF200A / BF225A / BF250A	14 1/8" x 19"	58134-ZY3-B19HR
INOX 4 pale		BF115D / BF135A / BF150A / BF175A / BF200A / BF225A / BF250A	14" x 20"	58134-ZY3-A20HR
INOX 4 pale (contrarotanta)		BF115D / BF135A / BF150A / BF175A / BF200A / BF225A / BF250A	14" x 20"	58134-ZY3-B20HR
INOX 4 pale		BF115D / BF135A / BF150A / BF175A / BF200A / BF225A / BF250A	14" x 21"	58134-ZY3-A21HR
INOX 4 pale (contrarotanta)		BF115D / BF135A / BF150A / BF175A / BF200A / BF225A / BF250A	14" x 21"	58134-ZY3-B21HR
INOX 4 pale		BF115D / BF135A / BF150A / BF175A / BF200A / BF225A / BF250A	14" x 23"	58134-ZY3-A23HR
INOX 4 pale (contrarotanta)		BF115D / BF135A / BF150A / BF175A / BF200A / BF225A / BF250A	14" x 23"	58134-ZY3-B23HR

7) TIP ELICE	Observatii de performanta	RECOMANDAT PENTRU	DIMENSIUNE	COD COMANDA
INOX 4 pale		BF115D / BF135A / BF150A / BF175A / BF200A / BF225A / BF250A	14" x 25"	58134-ZY3-A25HR
INOX 4 pale <i>(contrarotanta)</i>		BF115D / BF135A / BF150A / BF175A / BF200A / BF225A / BF250A	14" x 25"	58134-ZY3-B25HR